


MAGiCARD



Where identity begins.

HELIXTM



Helix, where identity begins.

Combining high definition print quality with an intelligent interface and in-line visual security, Helix is the new foundation of trusted identity.



NATIONAL ID CARD

SURNAME: WILLIAMS GIVEN NAMES: ROBERT
NATIONALITY: SAMPLE COUNTRY
PLACE OF BIRTH: SAMPLE STATE
DATE OF BIRTH: 01-01-1979
DATE OF ISSUE: 01-03-2000
DATE OF EXPIRY: 01-05-2040
CARD NUMBER: 2649834-3278464 (0)

SEX: M

HOLDERS SIGNATURE:

Robert Williams



Helix introduces Magicard's latest visual security breakthrough.

An evolution of the famous HoloKote watermark, Helix utilises a special secure panel to print a security feature or logo to the card at the point of printing (Patent Pending). Designed to work with the retransfer process, HoloKote exploits the wavelengths and lens effect of the retransfer film to fluoresce under UV lighting conditions.

Available with 10 watermarks as standard, any of these watermarks can be replaced with your own customised design or company logo through an easy-to-use, but securely encrypted, online delivery method.



Innovation. It's what you expect from Magicard.

- Intuitive touch screen interface with print preview and troubleshooting animations.
- Field-upgradable to double-sided printing.
- Superior print quality.
- 1000 capacity ribbons and 200 capacity hoppers.
- Easy load film cassettes to eliminate contamination.
- Backed with Magicard's industry-leading 3 year UltraCoverPlus warranty with lifetime warranty on the printhead.



Specifications

Resolution	300 dpi	Extendibility	Internal 4 port USB HUB (1.1). (1x WiFi option, 1x encoder option, 1x Micro SD option, 1x unassigned).		
Color depth	256 level (8Bit)	Memory size	128MB		
Printing speed	125 card/hr single-sided YMCK (<30 secs) 200 card/hr single-sided monochrome	Laminator	Laminator in-line (double-sided) option (available 2016).		
Feeder capacity	200 cards (0.76mm/0.029")	Card encoding options	Magnetic stripe (ISO 7811, JIS2, custom formats), Contact (ISO 7816 & EMV), Contactless (MIFARE, DESFire, ProX, HiD iClass, TagIT, Legic, UHF).		
Card exit capacity	200 cards (0.76mm/0.029")	Printer security	Standard: Kensington lock. Option: User log-on, secure film cassettes, secure blank media feeder, secure card reject hopper, ribbon erase facility.		
Card thickness	0.76mm to 1.25mm (30 mil to 49 mil)	Security watermark	Standard HoloKote with UV effect (10 standard designs) – for use with secure dye film only.		
Card size	CR80	Customised watermark	Custom HoloKote with UV effect - ordered separately and for use with secure dye film only.		
Card material	PVC, PET, PC, PVH, ABS,	Part numbers			
Display	TFT LCD panel, Size: 4.3 inch, Resolution: 480x272, Color depth: 16.7 million colors, Resistive touchscreen.	Single-sided	Double-sided		
Dimensions	H 420mm (16.5") x W 455mm (17.9") x D 330mm (13")	Helix Uno	3663-001	Helix Duo	3663-0021
Estimated weight	14.4Kg/31.7lb	Helix Uno Mag	3663-002	Helix Duo Mag	3663-0022
Power source	100-240VAC	Helix Uno Smart	3663-003	Helix Duo Smart	3663-0023
Interface	USB 2.0, 10 BASE-T/100 BASE-T Ethernet. 802.11 b/g/n WiFi (option).	Helix Uno Smart Mag	3663-004	Helix Duo Smart Mag	3663-0024
System requirements	Windows XP, Vista, 7, 8.1, 10 (32 and 64bit) Windows server 2003 R2 SP2, 2008, 2012, 2016, GNU/Linux and Mac OS X				
Printer warranty	3 years UCP USA, EU, Australia and selected other territories otherwise 3 years limited.				
Printhead warranty	Lifetime				

Consumables

Helix film sets	Print capacity	Product code
Colour dye film and retransfer film set (1 YMCK and 1 RT film)	1000 images	SET-HX1000
Colour dye film with secure HoloKote panel and retransfer film set (4 YMCKS and 3 RT films)	3000 images	SET-HX3000S
Black monochrome dye film and retransfer film set (1 black and 3 RT films)	3000 images	SET-HX3000K
Helix dye films	Print capacity	Product code
Colour dye film (YMCK)	1000 images	HX1000YMCK
Colour dye film with secure HoloKote panel (YMCKS)	750 images	HX750YMCKS
Double-sided dye film, prints colour on one side and black on reverse (YMCKK)	750 images	HX750YMCKK
Black monochrome dye film (K)	3000 images	HX3000K-BLACK
Colour dye film with UV panel (YMCKUv)	750 images	HX750YMCKU
Helix retransfer films	Print capacity	Product code
Retransfer film	1000 images	HX1000RT
Extra durable retransfer film	1000 images	HX1000RTD



Global contacts

 **Headquarters and manufacturing centre**
Hampshire Road, Weymouth,
Dorset DT4 9XD, United Kingdom
Tel: +44 (0) 1305 767 100
Fax: +44 (0) 1305 777 904
Email: info@ultralD.com

 **China sales and support centre**
Room 902 Zhonghuang Tower,
No.1007 Second Zhongshan Road (S)
Xuhui District Shanghai 2000030, PRC.
Tel: +86 21 6457 3509
Fax: +86 21 6457 3509
Email: china@ultralD.com

 **Americas sales and support center**
6724 - 185th Avenue NE, Suite A,
Redmond, WA 98052, USA
Toll free: 877 236 0933
Tel: +1 (425) 556 9708
Fax: +1 (425) 556 3962
Email: americas@ultralD.com

 **Middle East sales and support centre**
4WB (West Wing) Office - 652, Dubai Airport Free Zone,
PO Box: 54974, Dubai, United Arab Emirates
Tel: +971 4 260 2930
Fax: +971 4 260 2931
Email: uae@ultralD.com

Ultra Electronics, Ultra Electronics ID, Magicard, HoloKote, Custom HoloKote, and Helix are trademarks or registered trademarks of Ultra Electronics Limited. All other trademarks, brand names, or product names belong to their respective holders.

The information contained in this document reflects the current state of design and we reserve the right to change the specification without notice or obligation.



Toll Free: 888.682.6567
ph: 704.987.2238
fx: 704.987.2240
www.ColorID.com